

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA

INTERDEPARTMENT CORRESPONDENCE

FILE P.I. # 0010697 **DATE** June 10, 2015
Jackson County
TE Streetscape Enhancement - SR53 @ SR24 in Braselton

FROM  Brent A. Story, P.E., State Design Policy Engineer

TO Albert V. Shelby, State Program Delivery Engineer
Attn: Jeanne Kerney , Project Manager

SUBJECT **Patented and Proprietary Item Approval**

The Office of Design Policy and Support has reviewed the request for the use of proprietary items on the Transportation Enhancement (TE) Project 0010697 in the town of Braselton in Jackson County. This project is not located on the National Highway System (NHS).

Insufficient information was provided to determine that proprietary items are needed for the three different types of brick pavers requested. Typically these items can be provided by a variety of manufactures in an array of colors, shapes, and sizes that would appear to meet the aesthetic requirements for this project. If this is not the case, please provide additional information and resubmit the request for the use of these items.

GDOT accepts the town of Braselton's certification that the following items are essential for aesthetic synchronization:

- Trash Receptacles – Victor Stanley, Model SD-42
- Benches – Victor Stanley, Classic Series CR-96

The Department considers the use of the proprietary items listed above to be in compliance with 23 CFR 635.411 for aesthetic synchronization. The Town of Braselton is responsible for ensuring that these items comply with the Buy America Act.

Should you have any questions or concerns, please contact Brent Story at 404-631-1600 or Dave Peters at 404-631-1738.

Attachment: Proprietary Item Request

BAS:DGP:drp



MAYOR
Bill Orr
COUNCIL MEMBERS
District 1
Richard Mayberry
District 2
Peggy B. Slappey
District 3
Tony Funari
District 4
Rhonda K. Stites

May 8, 2015

Ms. Jeanne Kerney
TE Project Manager
Moreland Altobelli Associates, Inc.
2211 Beaver Run Road, Suite 190
Norcross, GA 30071

RE: Use of Proprietary Items for
SR 53 @ SR 124 in Braselton, Jackson County
PI: 0010697

Dear Ms. Kerney,

As per Federal Highway Administration regulation in 23 CFR 635.411(a) 2, proprietary materials, specifications, and processes can be used if their use is essential for synchronization with existing highway facilities. For the Town of Braselton's Transportation Enhancement Project, PI# 0010697, the following proprietary items are proposed for use:

Brick Pavers

Manufacturer: Belgard
Quantity in Project: 4,000 SF
Total Estimated Cost for Brick Pavers: \$40,000

Model: Mega Bergerac 3-Piece Pattern
Size: 80 MM
Color: Carriage House

Trash Receptacles

Manufacturer: Victor Stanley
Quantity in Project: 2
Total Estimated Cost for Trash Receptacles: \$4,000

Model: SD-42
Finish: Powder Coat
Color: Black

Brick Pavers

Manufacturer: Belgard
Quantity in Project: 2,000 SF
Total Estimated Cost for Brick Pavers: \$20,000

Model: Holland Stone Herringbone, Constructed
in Soldier Course Pattern
Size: 80 MM
Color: Spice Blend

Brick Pavers

Manufacturer: Belgard
Quantity in Project: 6,000SF
Total Estimated Cost for Brick Pavers: \$60,000

Model: Holland Stone Herringbone, Constructed
in Soldier Course Pattern
Size: 60MM
Color: Spice Blend

Proprietary Items Request
PI# 0010697, Jackson County
May 8, 2015
Page 2 of 15

Benches

Manufacturer: Victor Stanley

Model: Classic Series CR-96

Quantity in Project: 3

Size: 72.5" Length

Total Estimated Cost for Benches: \$7,500


Color: Black

The total estimated costs for materials listed above are based on recent construction bids on similar projects. These costs include materials, labor, tax, and freight.

The estimated total construction cost for the project is \$506,510. The cost of \$131,500 for proprietary items represents 26% of the estimated construction costs.

These products have been installed in previous projects in the Town of Braselton. These items were installed under CSTEE-0009-00(097). These products will also be used in all future streetscape enhancement projects in the Town of Braselton. These proprietary items are essential for synchronization with existing highway facilities. The use of these products is essential for aesthetic synchronization to match the visual appearance of existing facilities previously installed in the Town of Braselton and for compatibility with the Design Guidelines.

The Town of Braselton respectfully requests that the use of these proprietary products be approved.

Sincerely,

Jennifer Dees
Town Manager & Clerk
Town of Braselton

Attachments to include:

- A. Photos of existing pavers, benches and trash receptacles.
- B. Manufacturer details for each proprietary item.

Attachment A:

Brick Pavers

Manufacturer: Belgard

Model: Mega Bergerac 3-Piece Pattern

Size: 80 MM

Color: Carriage House



Existing Belgard Mega Bergerac 3-Piece Pattern
Project CSTEE – 0009 – 00(097), PI# 0009097

Trash Receptacles

Manufacturer: Victor Stanley
Model: SD-42
Finish: Powder Coated
Color: Black



Existing Victor Stanley Model SD-42
Installed on Project CSTEE – 0009 – 00(097), PI# 0009097

Proprietary Items Request
PI# 0010697, Jackson County
May 8, 2015
Page 5 of 15

Brick Pavers

Manufacturer: Belgard

Model: Holland Stone Herringbone, Constructed in Soldier Course Pattern

Size: 80 MM Vehicular Grade and 60 MM Pedestrian Grade

Color: Spice Blend



Existing Belgard Holland Stone Herringbone, Soldier Course Pattern
Installed on Project CSTEE – 0009 – 00(097), PI# 0009097

Benches

Manufacturer: Victor Stanley
Model: Classic Series CR-96
Size: 72.5" Length
Color: Black



Existing Victor Stanley Classic Series CR-96
Installed on Project CSTEE – 0009 – 00(097), PI # 0009097

Attachment B:

Brick Pavers

Manufacturer: Belgard

Model: Mega Bergerac 3-Piece Pattern

Size: 80 MM Vehicular Grade

Color: Carriage House

Mega-Bergerac

CLASSIC COLLECTION



APPLICATIONS




The timeless, hand-cobbled appearance of Mega-Bergerac® recalls an era when horse-drawn carriages traversed the avenues of Europe's great cities. Its trademark dimpled surface, unique color blends, and a variety of sizes provide you with the ability to create one-of-a-kind works of lasting beauty.


SPECS

*Square foot varies depending on installation. All measurements are approximate.
Contact your local Belgard dealer for details.*

COLORS



PIECE PATTERN A



3 PIECE PATTERN B



3 PIECE AND LARGE SQUARE



3 PIECE

9-7/16 x 4 ¾

9-7/16 x 9-7/16

9-7/16 x 14-3/16

80 MM



LARGE SQUARE

14-3/16 x 14-3/16

80 MM

BLENDED COLORS



ARDENNES GREY



CARRIAGE HOUSE BLEND



FOSSIL BEIGE



Trash Receptacles

Manufacturer: Victor Stanley

Model: SD-42

Finish: Powder Coated

Color: Black



VICTOR STANLEY, INC.®
Manufacturers of Quality Site Furnishings since 1962

P.O. DRAWER 330 - DUNKIRK, MD 20754 USA
 TOLL FREE: (800) 366-2573 (USA & CANADA)
 TEL (301) 855-8300 - FAX (410) 257-7579
 WEB SITE: [HTTP://WWW.VICTORSTANLEY.COM](http://www.victorst Stanley.com)


* ALL DIMENSIONS ARE IN INCHES *



1/4" x 2-1/2"
HORIZONTAL
STEEL BANDS




Ø 28-1/8"
Ø 12"



36-GALLON CAPACITY HIGH
DENSITY PLASTIC LINER
(WEIGHT NOT TO EXCEED 6 LBS.)
SITS ON 1/4" x 2" SUPPORT BARS



42"
19"



3/8" x 1"
VERTICAL SOLID
STEEL BARS
5/8" SOLID
STEEL TOP RING
3/4" SQUARE
ANCHOR BOLT HOLE



LEVELING FEET
WITH A 3/8" DIAMETER
THREADED STEEL SHAFT

AVAILABLE OPTIONS:

POWDER COATING
 10 STANDARD COLORS, 2 OPTIONAL METALLIC COLORS,
 CUSTOM COLORS (INCLUDING THE RAL RANGE)
CUSTOM PLAQUES & DECALS
 AVAILABLE WITH STEEL PLAQUES IN VARIOUS SIZES AND PRESSURE SENSITIVE
 VINYL OUTDOOR DECALS.

LIDS
 STANDARD TAPERED FORMERED LID (AS SHOWN). AVAILABLE WITH OPTIONAL
 DOME LID, DOME LID WITH ASHTRAY, RAIN BONNET LID, RAIN BONNET LID
 WITH ASHTRAY, CONVEX LID, CONVEX LID WITH SELF CLOSING DOOR,
 ENCLOSED DOME LID, ENCLOSED DOME LID WITH STAINLESS STEEL ASHTRAY,
 AND RECYCLE LIDS. ASHTRAYS AVAILABLE WITH OPTIONAL ASHTRAY COVER.

SECURITY
 AVAILABLE WITH STANDARD LOCKABLE LATCH, OPTIONAL KEYED LOCK BOX,
 LID BOLTED IN PLACE. AVAILABLE WITH OPTIONAL MOUNT WITH
 3 IN-LINE ANCHOR HOLES AND OPTIONAL BOTTOM PLATE COVER.

NOTES:

- DRAWINGS NOT TO SCALE. DO NOT SCALE DRAWINGS.
- ALL FABRICATED METAL COMPONENTS ARE STEEL SHOTBLASTED, ETCHED, PHOSPHATIZED, PREHEATED, AND ELECTROSTATICALLY POWDER-COATED WITH T.G.I.C. POLYESTER POWDER COATINGS. PRODUCTS ARE FULLY CLEANED AND PRETREATED, PREHEATED AND COATED WHILE HOT TO FILL CREVICES AND BUILD FILM COATING. COATED PARTS ARE THEN FULLY CURED TO COATING MANUFACTURER'S SPECIFICATIONS. THE THICKNESS OF THE RESULTING FINISH AVERAGES 8-10 MILS (200-250 MICRONS).
- OIL IMPREGNATED BRONZE BUSHINGS AND STAINLESS STEEL PIVOT PINS FOR DOOR MOVEMENT, STANDARD 3/16" SOLID STEEL LATCH ASSEMBLY OR OPTIONAL PATENTED STAINLESS STEEL KEYED LOCK ASSEMBLY.
- THIS VICTOR STANLEY, INC. PRODUCT MUST BE PERMANENTLY AFFIXED TO THE GROUND. CONSULT YOUR LOCAL CODES FOR REGULATIONS.
- VICTOR STANLEY, INC., PLASTIC INNER LINERS ARE MOLDED ON TOOLING DESIGNED FOR AND OWNED BY VICTOR STANLEY, INC. THEY OFFER MAXIMUM CAPACITY AND STRENGTH WITH LIGHTWEIGHT CONSTRUCTION USING CRITICAL MOLDED RIBS, INTEGRAL HANDHOLDS, AND HIGH-STRENGTH MATERIALS. THIS MINIMIZES HANDLING DIFFICULTY AND FACILITATES EASY EMPTYING AND STORAGE WHILE AFFORDING LONG SERVICE LIFE.
- ANCHOR BOLT NOT PROVIDED BY VICTOR STANLEY, INC.
- FOR HIGH SALT ABUSIVE CLIMATES, HOT-DIP GALVANIZING BEFORE POWDER COATING IS AVAILABLE. HOT-DIP GALVANIZING IS PERFORMED FOR VICTOR STANLEY, INC. BY AN EXPERIENCED QUALIFIED FIRM TO WHICH PRODUCTS ARE SHIPPED FOR GALVANIZING. HOT-DIP GALVANIZING INCLUDES AN AGGRESSIVE PRE-TREATMENT AND IMMERSION IN A TANK OF CHARGED LIQUID ZINC AT OR AROUND 860°F (460°C). THE RESULTING SURFACE IS RESISTANT TO RUST BUT HAS SOME UNEVENNESS RESULTING FROM THE BONDING OF THE ZINC TO THE STEEL SURFACE. AS A RESULT, THE POWDER-COATING SURFACE FINISH OVER THAT GALVANIZED SURFACE MAY EXHIBIT BUMPS, UNEVENNESS, AND MAY NOT BE AS SMOOTH AS THE STANDARD FINISH; THIS UNEVEN AND INCONSISTENT FINISH IS NORMAL FOR GALVANIZING. CONTACT MANUFACTURER FOR DETAILS.
- ALL SPECIFICATIONS ARE SUBJECT TO CHANGE. CONTACT MANUFACTURER FOR DETAILS.
- THIS PRODUCT IS SHIPPED FULLY ASSEMBLED.



SD-42

IRONITES® SERIES

36-GALLON SIDE-DOOR-OPENING LITTER RECEPTACLE
 SHOWN: STANDARD TAPERED FORMED LID

COPYRIGHT 2014 VICTOR STANLEY, INC.® ALL RIGHTS RESERVED
 REV. 6/30/14 DRAWN L.D.L. 2014-90


Brick Pavers

Manufacturer: Belgard

Model: Holland Stone Herringbone, Constructed in Soldier Course Pattern

Size: 80 MM and 60 MM

Color: Spice Blend



BLENDED COLORS



COUNTRY BLEND




GEORGIA BLEND



GREY GRANITE



SPICE BLEND




Benches

Manufacturer: Victor Stanley
 Model: Classic Series CR-96
 Size: 72.5" Length
 Color: Black




VICTOR STANLEY, INC.
Manufacturers of Quality Site Furnishings since 1962

P. O. DRAWER 330 - BUNKIRK, MD 20754 USA
 TOLL FREE: (800) 368-2573 (USA & CANADA)
 TEL: (301) 855-8300 - FAX: (410) 257-7579
 WEB SITE: [HTTP://WWW.VICTORSTANLEY.COM](http://www.victorstanley.com)




27"
 31"
 23"
 17-1/2" SEAT HEIGHT

(28) SCROLLED VERTICAL STEEL SLATS ARE FORMED FROM SECTIONS OF 1/4" x 1-1/2" SOLID STEEL BARS




CLEARANCE FOR 3/8" ANCHOR BOLTS

INTEGRAL WELDED CROSS-MEMBERS OF 1-7/8" TUBULAR STEEL



1-5/16" TUBULAR STEEL RING (USED FOR ADDITIONAL SUPPORT)



73-3/4"
 72-1/2" CENTER-TO-CENTER

CENTER-TO-CENTER DISTANCES ARE APPROXIMATE (VARIATIONS IN CASTINGS ARISE FROM DIFFERENT RATES OF COOLING)

AVAILABLE OPTIONS:

- POWDER COATING:
 - 10 STANDARD COLORS, CUSTOM COLORS (INCLUDING THE RAL RANGE)
- CUSTOM PLAQUES
- ENGRAVED CAST BRONZE PLAQUES

NOTES:

1. DUCTILE IRON CASTINGS COME WITH A TEN YEAR WARRANTY AGAINST BREAKAGE.
2. DRAWING NOT TO SCALE. DO NOT SCALE DRAWINGS.
3. ALL FABRICATED METAL COMPONENTS ARE STEEL, SHOTBLASTED, ETCHED, PHOSPHATIZED, PRE-HEATED, AND ELECTROSTATICALLY POWDER-COATED WITH T.G.I.C. POLYESTER POWDER COATINGS. PRODUCTS ARE FULLY CLEANED AND PRE-TREATED, PRE-HEATED AND COATED WHILE HOT TO FILL CREVICES AND BUILD COATING FILM. COATED PARTS ARE THEN FULLY CURED TO COATING MANUFACTURER'S SPECIFICATIONS. THE THICKNESS OF THE RESULTING FINISH COAT AVERAGES 8-10 MILS (200-250 MICRONS).
4. IT IS NOT RECOMMENDED TO LOCATE ANCHOR BOLTS UNTIL BENCH IS IN PLACE. THIS VICTOR STANLEY, INC. PRODUCT MUST BE PERMANENTLY AFFIXED TO THE GROUND. CONSULT YOUR LOCAL CODES FOR REGULATIONS.
5. ANCHOR BOLTS NOT PROVIDED BY VICTOR STANLEY, INC.
6. FOR HIGH SALT ABUSIVE CLIMATES, HOT DIP GALVANIZING BEFORE POWDER COATING IS AVAILABLE. SEE WRITTEN SPECIFICATIONS FOR DETAILS.
7. ALL SPECIFICATIONS ARE SUBJECT TO CHANGE. CONTACT MANUFACTURER FOR DETAILS.
8. THIS PRODUCT IS SHIPPED FULLY ASSEMBLED.

INTERMEDIATE & CENTER ARMRESTS

4", 6", & 8" AVAILABLE WITH OPTIONAL ARMRESTS

LENGTHS

- STANDARD 4'
- STANDARD 6' LENGTH SHOWN
- STANDARD 8'



CR-96

CLASSIC SERIES STANDARD BENCH WITH DUCTILE IRON END FRAMES
 SHOWN: STANDARD 6-FOOT LENGTH

COPYRIGHT 2004 VICTOR STANLEY, INC. ALL RIGHTS RESERVED
 REV. 02/05/04 DRAWN N.E.S. 2004-281